

Arkansas

Live births, abortions, and pregnancies


Live birth rates, 1982-1992



Live birth rates,* 1991



Pregnancy rates, 1990




National live birth rate ranking, 1990

| 15–17 | Age group 18–19 | 15–19 |
|-------------|-----------------|-------------|
| 3rd highest | 2nd highest | 3rd highest |





^{*}Missing bar indicates fewer than 10,000 females or fewer than 20 births. This graph refers to females aged 15–19 years.

Gonorrhea rates, 1982-1992



Gonorrhea rates, 1992






National gonorrhea rate ranking,* 1992

Males – 10th highest Females – 12th highest





^{*}National ranking refers to males and females aged 10-24 years.

Chlamydia cases and rates,* 1988–1992



Acquired immunodeficiency syndrome (AIDS) cumulative cases, † 1981–1992








^{*}Chlamydia cases and rates refer to males and females of all ages. †Missing bar indicates fewer than six cumulative cases.


Had sexual intercourse (lifetime)




Had sexual intercourse during the past three months (currently sexually active)




Used birth control pills during last sexual intercourse (among currently sexually active)




Had sexual intercourse with four or more people (lifetime)



Used a condom during last sexual intercourse (among currently sexually active)



Injected illegal drugs (lifetime)





^{*}Related risk behaviors refer to high school students.